

QUICK REFERENCE TABLE RADISH

Variety	Maturity* (days from sowing)	Season	Root shape*	Root dimensions* (cm)	Colour*	Flesh texture*	Flesh colour*	Top* (cm)	Market segment	Disease reaction#			Comment
										Ar	For	Pb: 6	
Easter Egg Blend II	28 - 30	Year round	Round - oval	2 - 3 x 2 - 4	Shades of red, white, pink, purple	Very firm & crisp	White	8 - 15	Bunching, salad packs & pre-pack				High quality roots with exceptional uniformity, long field holding ability. Delightful colour range. Slow to pith
Icicle	25 - 30	Year round	Cylindrical	2.5 x 10 - 15	Pure white	Very firm & crisp	Pure white	15 - 25	Bunching, salad packs & pre-pack				High quality roots with exceptional uniformity, mild flavour
Red Silk	26 - 30	Year round	Globe	2.5 x 2.5	Bright red	Very firm & crisp	White	8 - 15	Bunching, salad packs & pre-pack	IR	IR	IR	High quality roots, slow to pith and very good disease resistance
Sparkler	26 - 30	Cool	Globe	2.5 x 2.5	Bright red, pure white tips	Very firm & crisp	White	8 - 15	Bunching, salad packs & pre-pack				High quality roots with exceptional uniformity, attractive colour and sweet flavour

* Characteristics given are affected by production methods such as soil type, nutrition, planting population, planting date and climatic conditions. Please read disclaimer.

FBR WARNING: VARIETY PROTECTED UNDER **PLANT BREEDERS RIGHTS**. UNAUTHORIZED MULTIPLICATION AND/OR MARKETING OF SEED PROHIBITED.

Disclaimer: This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, and the environment, including management, we give no warranty express or implied, for the performance of crops relative to the information given nor do we accept any liability for any loss, direct or consequential, that may arise from whatsoever cause. Please read the Sakata Seed Southern Africa (Pty) Ltd Conditions of Sale before ordering seed.

Resistance: is the ability of a plant variety to restrict the growth and development of a specified pest or pathogen and/or the damage they cause when compared to susceptible plant varieties under similar environmental conditions and pest or pathogen pressure. Resistant varieties may exhibit some disease symptoms or damage under heavy pest or pathogen pressure (HR = High resistance, IR = Intermediate resistance).

Experimental: This variety does not appear on the current South African Variety list, but has been submitted for registration.

Recent version: Kindly contact Sakata or Area Representative for the most recent version of this Technical Bulletin.

QUICK REFERENCE TABLE RADISH

Disease reaction key:

IR: Intermediate resistance **HR:** High resistance

Abbreviation	Common disease name	Pathogen name
Ar	Black root	<i>Aphanomyces raphani</i>
For	Yellows	<i>Fusarium oxysporum</i> f.sp. <i>raphani</i>
Pb: 6	Clubroot race 6	<i>Plasmodiophora brassicae</i>

Disclaimer: This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, and the environment, including management, we give no warranty express or implied, for the performance of crops relative to the information given nor do we accept any liability for any loss, direct or consequential, that may arise from whatsoever cause. Please read the Sakata Seed Southern Africa (Pty) Ltd Conditions of Sale before ordering seed.

Resistance: is the ability of a plant variety to restrict the growth and development of a specified pest or pathogen and/or the damage they cause when compared to susceptible plant varieties under similar environmental conditions and pest or pathogen pressure. Resistant varieties may exhibit some disease symptoms or damage under heavy pest or pathogen pressure (HR = High resistance, IR = Intermediate resistance).

Experimental: This variety does not appear on the current South African Variety list, but has been submitted for registration.

Recent version: Kindly contact Sakata or Area Representative for the most recent version of this Technical Bulletin.